

# An empirical model linking physico-chemical biomaterial characteristics to intra-oral bone formation

Created on: 08-06-2023 - Last modified on: 08-06-2023

## Contact person

Ehsan Sadeghian

## Organisation

**Name of the organisation** University of Liège (ULiège)

**Department** GIGA in silico medicine

**Specific Research Group or Service** Biomechanics Research Unit

**Country** Belgium

## Partners and collaborations

Katholieke Universiteit Leuven (KUL), University of Liège (ULiège), Université Catholique de Louvain (UCL)

## SCOPE OF THE METHOD

<b>The Method relates to</b>	Animal health, Human health
<b>The Method is situated in</b>	Basic Research
<b>Type of method</b>	In silico
<b>Species from which cells/tissues/organs are derived</b>	bilateral sinus lift procedures in rabbits
<b>Type of cells/tissues/organs</b>	Intra-oral bone region

## **DESCRIPTION**

### **Method keywords**

Empirical modeling  
intra-oral bone formation  
calcium phosphate  
physico-chemical  
biomaterials

### **Scientific area keywords**

Bone tissue engineering  
Intra-oral bone regeneration  
insilico medicine  
physico-chemical characterization  
scaffold design

### **Method description**

This empirical model is used to assess the weighted value of driving biomaterials properties in the intra-oral bone regeneration process. We used partial least square regression (PLSR) to construct empirical models that relate combinations of (quantified) biomaterial characteristics to intra-oral bone regeneration outcomes across diverse types of bone biomaterials. This computational method uses linear correlation to reduce the dispersion of a multi-variate data set by identifying the most important information from the original data set.

### **Lab equipment**

Any characterization method that provides a quantified physico-chemical specification of scaffolds (e.g. mechanical characterization, surface roughness analysis, macroporosity measurement, etc.).

### **Method status**

Internally validated

## **PROS, CONS & FUTURE POTENTIAL**

## **Advantages**

The model provides a way to identify driving biomaterial properties and morphological cues of the intra-oral bone healing process as well as predict the bone regeneration potential of new biomaterials based on their physico-chemical characteristics.

## **Challenges**

The model should be fed with the quantified characteristics of scaffolds obtained from high-quality characterizations.

## **Modifications**

More samples with a wider range of physico-chemical characteristics would further increase the robustness of the model.

## **Future & Other applications**

Biological agents (drugs, growth factors, etc.) could be drawn into the analysis in future research. The interplay between physico-chemical biomaterial factors and biological ones could also be assessed quantitatively for the intra-oral bone biomaterials. This model can be also applied to other areas of tissue engineering.

## **REFERENCES, ASSOCIATED DOCUMENTS AND OTHER INFORMATION**

### **References**

- 1- E. Sadeghian Dehkord, G. Kerckhofs, P. Compère, F. Lambert, L. Geris, An empirical model linking physico-chemical biomaterial characteristics to intra-oral bone formation (to-be-submitted)
- 2- G. Kerckhofs, Y.C. Chai, F.P. Luyten, L. Geris, Combining microCT-based characterization with empirical modelling as a robust screening approach for the design of optimized CaP-containing scaffolds for progenitor cell-mediated bone formation, *Acta Biomater.* 35 (2016) 330–340.  
<https://doi.org/10.1016/j.actbio.2016.02.037>.
- 3- S.J. Roberts, L. Geris, G. Kerckhofs, E. Desmet, J. Schrooten, F.P. Luyten, The combined bone forming capacity of human periosteal derived cells and calcium phosphates, *Biomaterials.* 32 (2011) 4393–4405.

<https://doi.org/10.1016/j.biomaterials.2011.02.047>.

4- J. Bolander, W. Ji, L. Geris, V. Bloemen, Y.C. Chai, J. Schrooten, F.P. Luyten, The combined mechanism of bone morphogenetic protein- and calcium phosphate-induced skeletal tissue formation by human periosteum derived cells, *Eur Cell Mater.* 31 (2016) 11–25. <https://doi.org/10.22203/ecm.v031a02>.

5- W. Ji, G. Kerckhofs, C. Geeroms, M. Marechal, L. Geris, F.P. Luyten, Deciphering the combined effect of bone morphogenetic protein 6 and calcium phosphate on bone formation capacity of periosteum derived cells-based tissue engineering constructs, *Acta Biomater.* 80 (2018) 97–107.

<https://doi.org/10.1016/j.actbio.2018.09.046>.

### **Other remarks**

Designing the optimized bone graft for intra-oral applications involves many parameters that directly affect the bone regeneration rate in the defect site. Thus, in order to obtain the optimal scaffold design for a specific application, more insight should be achieved into the influence of biomaterials characteristics on the regeneration process.

*Coordinated by*



*Financed by*

