

LipidTOX assay in primary rat hepatocytes

Commonly used acronym: LipidTOX

Created on: 05-03-2019 - Last modified on: 28-02-2022

SCOPE OF THE METHOD

The Method relates to	Human health
The Method is situated in	Basic Research, Translational - Applied Research
Type of method	In vitro - Ex vivo
This method makes use of	Animal derived cells / tissues / organs
Species from which cells/tissues/organs are derived	Rat
Type of cells/tissues/organs	Primary rat hepatocytes

DESCRIPTION

Method keywords

Steatosis

Phospholipidosis

Hepatocytes
neutral lipids
phospholipids
Hepatotoxicity

Scientific area keywords

Hepatotoxicity
cytotoxicity
Steatosis
Phospholipidosis

Method description

The method detects two facets of drug-induced cytotoxicity i.e. the intracellular accumulation of phospholipids and of neutral lipids, i.e. phospholipidosis and steatosis respectively. The assay makes use of a kit containing an aqueous, red-fluorescent formulation of labelled phospholipids (LipidTOX™ Red phospholipid stain, excitation/emission ~595/615 nm) which is up taken by the cells upon incubation with a phospholipidosis-inducing compound. The second component of the kit is a selective green-fluorescent stain for neutral lipids (LipidTOX™ Green neutral lipid stain, excitation/emission ~495/505 nm), which can be used sequentially on fixed cells for the analysis of steatosis or can be used independently for single-parameter analysis (Nioi et al. 2007). Additionally, use of VECTASHIELD® Mounting Medium containing 4',6-diamidino-2-phenylindole (DAPI) which binds directly to DNA and produces upon excitation a blue fluorescence, enables intracellular localisation of the lipids.

Lab equipment

Fluorescence microscope

Method status

History of use

REFERENCES, ASSOCIATED DOCUMENTS AND OTHER INFORMATION

References

Anderson N. and Borlak J. (2006) "Drug-induced phospholipidosis." *FEBS Letters* 580: 5533-40

Elaut G., Henkens T., Papeleu P., Snykers S., Vinken M., Vanhaecke T. and V. Rogiers (2006) "Molecular mechanisms underlying the dedifferentiation process of isolated hepatocytes and their cultures." *Current Drug Metabolism* 7: 629-60

Gomez-Lechon M.J., Lahoz A., Gombau L., Castell J.V. and Donato M.T. (2010) "In vitro evaluation of potential hepatotoxicity induced by drugs." *Current Pharmaceutical Design* 16: 1963-77

Kodavanti U.P. and Mehendale H.M. (1990) "Cationic amphiphilic drugs and phospholipid storage disorder." *Pharmacological Reviews* 42:327-54

McKim J.M., (2010) "Building a tiered approach to in vitro predictive toxicity screening: a focus on assays with in vivo relevance." *Combinatorial Chemistry and High Throughput Screening* 13: 188-206

Monteith D.K., Morgan R.E. and Halstead B. (2006) "In vitro assays and biomarkers for drug-induced phospholipidosis." *Expert Opinion on Drug Metabolism and Toxicology* 2: 687-96

Morgan R.E., Kriauciunas A., Berridge B., Sullivan J. and Monteith D.K. (2004) "An in vitro surrogate for drug-induced phospholipidosis." *Toxicologist* 78: 388

Nioi P., Perry B.K., Wang E.J, Gu Y.Z. and R.D. Snyder (2007) "In vitro detection of drug-induced phospholipidosis using gene expression and fluorescent phospholipid based methodologies." *Toxicological Sciences* 99: 162-73

Papeleu P., Vanhaecke T., Henkens T., Elaut G., Vinken M., Snykers S. and Rogiers V. (2006) "Isolation of rat hepatocytes." *Methods in Molecular Biology* 320: 229-37

Reasor M.J., Hastings K.L. and Ulrich R.G. (2006) "Drug-induced phospholipidosis:

issues and future directions." Expert Opinion on Drug Safety 5:567-83

Sawada H., Takami K. and Asahi S. (2005) "A toxicogenomic approach to drug-induced phospholipidosis: analysis of its induction mechanism and establishment of a novel in vitro screening system." Toxicological Sciences 83:282-92

Sawada H., Taniguchi K. and Takami K. (2006) "Improved toxicogenomic screening for drug-induced phospholipidosis using a multiplexed quantitative gene expression ArrayPlate assay." Toxicology In Vitro 20:1506-13

Seglen, P.O. (1976) "Preparation of isolated rat liver cells." Methods in Cell Biology 13:29-83

Associated documents

PARTNERS AND COLLABORATIONS

Organisation

Name of the organisation Vrije Universiteit Brussel (VUB)

Department Pharmaceutical and Pharmacological Sciences

Specific Research Group or Service In Vitro Toxicology and Dermato-Cosmetology

Country Belgium

Geographical Area Brussels Region

Coordinated by



Financed by

