

High-throughput quantification of ochronotic pigment formation in Escherichia coli to evaluate the potency of human 4-hydroxyphenylpyruvate dioxygenase inhibitors

Created on: 25-05-2020 - Last modified on: 28-02-2022

# **Contact person**

Jessie Neuckermans

# Organisation

Name of the organisation Vrije Universiteit Brussel (VUB)

**Department** Pharmaceutical and Pharmacological Sciences

Specific Research Group or Service In Vitro Toxicology and Dermato-Cosmetology

**Country** Belgium

Geographical Area Brussels Region

Name of the organisation RWTH Aachen

**Department** Institute of Biotechnology

**Country** Germany

#### Partners and collaborations

RWTH Aachen

### **SCOPE OF THE METHOD**

The Method relates to	Human health
The Method is situated in	Basic Research
Type of method	In vitro - Ex vivo

### DESCRIPTION

### **Method keywords**

high throughput bacterial cells colorimetric

4-hydroxyphenylpyruvate dioxygenase

Inhibitor

Screening assay

# Scientific area keywords

biotechnology in vitro Cell culture microbiology

### **Method description**

This method is a straightforward, colorimetric, and inexpensive high-throughput screening system in bacteria which depends on the activity of human HPD. This screening assay is based on the formation and accumulation of a melanin-like ochronotic pigment which has a characteristic brown color. In the presence of an HPD-inhibitor this ochronosis process will be reduced or even prevented when the HPD activity is blocked by a human HPD inhibitor. The screening system will allow to identify new and human-specific HPD inhibitors and evaluate their therapeutic potential for the development of therapies for tyrosine-dependent inborn errors of metabolism.

### Lab equipment

- Biosafety Cabinet;
- 96-multiwell plates (flat bottom, V-bottom);
- LB medium:
- Multichannel pipettes;
- Shaker incubator;
- Erlenmeyer culture flasks.

### **Method status**

Published in peer reviewed journal

# PROS, CONS & FUTURE POTENTIAL

### **Advantages**

- Reliable and robust (Z' = 0.87);
- Specific and sensitive readout in short measurement time;
- Cost-effective.

### **Modifications**

Method can be miniaturised to 384 and 1536-well format using adjusted equipement including liquid-handling robotics.

# REFERENCES, ASSOCIATED DOCUMENTS AND OTHER INFORMATION

#### References

Neuckermans, J., Mertens, A., De Win, D. et al. A robust bacterial assay for high-throughput screening of human 4-hydroxyphenylpyruvate dioxygenase inhibitors. Sci Rep 9, 14145 (2019).

### **Associated documents**

scientific reports.pdf

#### Links

A robust bacterial assay for high-throughput screening of human 4-hydroxyphenyl...

Coordinated by









