

human induced pluripotent stem cells derived airway epithelium

Commonly used acronym: iPSC

Created on: 23-01-2023 - Last modified on: 07-02-2023

Contact person

Engi Ahmed

Organisation

Name of the organisation VIB - UGent

Department Center for Center for Inflammation Research

Specific Research Group or Service Laboratory of Immunoregulation

Country Belgium

Geographical Area Flemish Region

Name of the organisation IRMB INSERM 1183

Department IRMB INSERM 1183

Country Belgium

Geographical Area Flemish Region

SCOPE OF THE METHOD

The Method relates to	Human health
The Method is situated in	Translational - Applied Research

Type of method	In vitro - Ex vivo
-----------------------	--------------------

DESCRIPTION

Method keywords

Human induced Pluripotent Stem Cell

differentiation

airways

lung epithelial cells

Scientific area keywords

Induced pluripotent stem cells

human airways

3D organoid models

Chronic obstructive pulmonary disease

asthma

epithelial cells

co-culture

Method description

We devised a simple and reliable method for reprogramming peripheral blood mononuclear cells into hiPSC and then to differentiate them into air-liquid interface bronchial epithelium (iALI) within 45 days. Of note, this method does not involve any cell sorting step. We reprogrammed blood cells from one healthy control and three patients with very severe COPD. The mean cell purity at definitive endoderm and ventral anterior foregut endoderm was >80%, assessed by CXCR4 and NKX2.1 expression respectively. vAFE cells from all four hiPSC differentiated into bronchial epithelium in air-liquid interface (ALI) conditions, with large zones covered by beating ciliated, basal, goblets, club cells and neuroendocrine cells, as found *in vivo*.

Lab equipment

Flow cytometry,
Biosafety cabinet,
Microscopy phase contrast,
Fluorescence PCR,
Matrix (geltrex, matrigel),
Transwell insert for culture,
Transepithelial/transendothelial electrical resistance.

Method status

History of use
Internally validated
Published in peer reviewed journal

PROS, CONS & FUTURE POTENTIAL

Advantages

Robust, efficient and reproducible protocol
Human normal lung development modeling and diseases modeling
Stem cells: renewable and sustainable source of airway epithelial cells
High-Yield Human Induced Pluripotent Stem Cell-Derived airway epithelial cells
Personalized medicine
High input pharmacological screening
Genome editing CRISPR Cas9 technology

Challenges

Cost,
Mandatory to check regular genetic stability of stem cells during culture maintenance,

Derivation of clinical grade iPSC culture and derived therapeutic cells.

Modifications

Optimization of differentiation protocol,

Co-culture with other cell type such as immune cells

Future & Other applications

Disease modeling cell therapy

REFERENCES, ASSOCIATED DOCUMENTS AND OTHER INFORMATION

References

Differentiation protocol from the team PMID: 35954266 iPSC cell lines derived PMID: 34624616 ,
PMID: 33099111, PMID: 30296669 Kotton DN protocol lab: PMID: 35781291, PMID: 35499347 Gotoh
Lab: PMID: 34798066

Coordinated by



Financed by

