

Dual and Triple Epithelial Co-culture Model Systems with Donor-Derived Microbiota and THP-1 Macrophages To Mimic Host-Microbe Interactions in the Human Sinonasal Cavities

Created on: 20-02-2020 - Last modified on: 28-02-2020

Contact person

Charlotte De Rudder

Organisation

Name of the organisation Ghent University (UGent)

Department BW25 - Biotechnology

Country Belgium

SCOPE OF THE METHOD

The Method relates to	Human health
The Method is situated in	Translational - Applied Research
Type of method	In vitro - Ex vivo

DESCRIPTION

Method keywords

upper respiratory tract
host-microbe interaction
air-liquid interface
sinonasal cavities
chronic rhinosinusitis
epithelial barrier function
macrophages

Scientific area keywords

host-microbiome interaction
biotechnology
microbiology
immunomodulation

Method description

This is a method to study host-microbe interaction in the upper respiratory tract. A physiologically representative epithelial structure, with mucin producing and ciliated cells, is obtained by culturing respiratory epithelial cells at air-liquid interface in Transwell inserts. Optionally, macrophage-like cells, derived from monocytes, can be included to examine immunomodulation. This co-culture system can be apically inoculated with pure

strains, a defined mixture of bacteria, or donor-derived nasal microbiota. During host-microbe co-culture, typically 72 h, bacterial adhesion, growth and community composition can be measured, as well as host responses such as cytokine release and epithelial barrier functionality.

Lab equipment

Biosafety cabinet ;
Incubator ;
Flow cytometer ;
Plate-reader ;
Electrode to measure transepithelial electrical resistance ;
Micropipettes.

Method status

Still in development
History of use
Internally validated
Published in peer reviewed journal

PROS, CONS & FUTURE POTENTIAL

Advantages

- Low-tech ;
- High throughput ;
- Commercially available culture system (Transwell) ;
- Easy sampling ;
- Variety of samples ;
- Versatility of host and microbial materials that can be used ;
- Robust co-culture preserving viability of host cells and bacteria over multiple days.

Challenges

- Labour intensive ;
- Static co-culture (accumulation of metabolites, medium acidification) ;
- Several weeks required for differentiation ;
- Low biomass samples of microbial community.

Modifications

- Inclusion of more/other host cell types ;
- Downscaling ;
- Increasing throughput ;
- Standardized inoculum.

Future & Other applications

- Testing of environmental contaminants (cigarette smoke) ;
- Antibiotics ;
- Live biotherapeutic products ;
- Topical treatments for upper respiratory tract diseases

REFERENCES, ASSOCIATED DOCUMENTS AND OTHER INFORMATION

References

De Rudder C, Calatayud Arroyo M, Lebeer S, Van de Wiele T. 2020. Dual and triple epithelial coculture model systems with donor-derived microbiota and THP-1 macrophages to mimic host-microbe interactions in the human sinonasal cavities. mSphere 5:e00916-19. <https://doi.org/10.1128/mSphere.00916-19>.

Associated documents

[DeRudder2020_mSphere_DualTripleModelSystems_HMI_URT.pdf](#)

Links

[Dual and triple epithelial coculture model systems with donor-derived microbiota...](#)

Other remarks

Corresponding author: Tom.VandeWiele@UGent.be

Coordinated by



Financed by



Vlaanderen
verbeelding werkt

